Introducing HEATHKIT COMPUTERS

A new value standard in personal computing systems featuring two powerful computers with better software, full documentation and service support from the Heath Company.

Heath Company has been interested and involved with personal computing since we first marketed an analog computer system all the way back in 1957. This continuing interest, along with the recent technological advances that have brought personal computing to the forefront of the electronics marketplace, has given us the opportunity to think through the recent developments, and develop two "total design" computer systems that give the computer hobbyist, whether beginner or advanced, everything needed for REAL power, performance and reliability — at prices that give you MORE value and performance for your computer dollar!

Total system design. The Heathkit computer line, both hardware and software, has been designed from the ground up to be a total computing system that meets all the needs of the computer hobbyist. The two mainframes are based on performance-proven well-documented MP modules, the 8080A and LSI-11. Using these CPU's was a conscious design decision, because of their proven performance, reliability and efficiency, and the tremendous amount of existing applications programs, documentation and source materials that are available. The Heath-designed CRT terminal, paper tape reader/punch, serial and parallel interfaces make total system setup easy and fast, and the Heath-designed software provided assures immediate usefulness and versatility.

Superior documentation. Heath Company is world-famous for the accuracy and clarity of its instruction manuals. The Heath computer line continues this well-deserved reputation. Assembly and operations manuals are written with easyto-understand step-by-step instructions that leave nothing to chance. Simply follow the easyto-understand instructions in the manual and you'll be up and running fast. As in all Heathkit products, easy self-service and troubleshooting is a definite benefit that can result in substantial cost-savings over the life of a product. These considerations, along with nationwide service and technical assistance at Heathkit Electronic Centers or the Heathkit factory, mean that you have the most reliable protection for your computer investment available anywhere.

System versatility. Both Heathkit computers offer full expansion potential to provide outstanding flexibility and adaptability to meet any application. Mass storage capability is available in both audio cassette and paper tape format on the H8 and in paper tape format on the H11 for added convenience. Additional memory expansion boards can be added to either unit, along with an expanding number of I/O devices.

Continuing Development. Heath will continue to design and develop new compatible products for their computer systems. Coming in the future will be – floppy disk storage, line printer, additional applications programs, and self-instructional courses in programming and assembly languages. All Heathkit computer users are eligible to join HUG (the Heath User's Group) and H11 customers are eligible to join DECUS, the Digital Equipment Computer User's Society.

We're confident you'll find the Heathkit computer line one of the most intelligent, sensibly developed and complete product lines available today. It offers you total versatility and expansion capability to go wherever your imagination and computing prowess take you. And, in the Heathkit tradition, it offers the best price/performance and reliability combination you'll find anywhere.

> LON COST TERTINGL WITH FULL OF SEN OFFIT SENDING 12" COT DIFICAL WITH FULL OF SEN OFFIT 12" COT DIFICATION OF ANTON 14" COT DIFICATION OF ANTONIC 2." OFFIT OFFIC OUTS AN OFFIC THE 2." OFFIT OFFIC OUTS AN OFFIC THE 2." OFFIC OUTS AND CONTAINTS 2." OFFIC OUTS AND CONTAINTS 2." OFFIC OUTS AND OFFIC THE 2." OFFIC OUTS AND CONTAINTS 2." OFFIC OUTS AND CONTAINTS 2." OFFIC OUTS AND CONTAINTS 2." OF OUT OUTS AND CONTAINTS 2." OF OUT OUTS AND CONTAINTS 2." OF OUT OUT THE AND CONTAINTS AND STORED

REATHRIT

A unique, value-packed computer featuring an "intelligent" front panel with built-in extended ROM monitor, octal entry keypad and digital readout, exclusive Heath bus, a pre-wired and tested 8080A-based CPU, and complete systems software at no extra cost!



charg-a-kit

HEATHKIT 8-BIT DIGITAL COMPUTER

A low-cost digital computer that's easier to build and to use! Features an intelligent front panel with keyboard entry and 9-digit display, a heavy-duty power supply with enough extra capacity for memory and I/O expansion and

The Heathkit H8 computer is an 8-bit machine based on the popular 8080A chip. It is one of the lowest-cost general-purpose computers on the market, and thanks to Heath's exclusive design, one of the most versatile.

The interrupt controlled "intelligent" front panel gives you far more power and control than is found on conventional units with bit switches and indicators. The 16-digit keyboard allows octal data entry and control that's far faster and less error prone than binary switches. The 9-digit octal readout provides you with more information than conventional models too.


The octal keyboard and display emulate a true hardware front panel with complete access to memory, all registers and functions. The 9-digit seven-segment octal display has three readout modes: 6 digits of address and 3 digits data; 6 digits register data and 2 digits register identification; and three digits data with three digits port address. The front panel functions are defined by a panel monitor control program (PAM-8) stored in a 1K x 8 ROM on the CPU board. The complete access to 8080 internal circuits and functions makes the H8 an ideal trainer and learning tool.

Complete front panel functions include: display and alter of memory locations; display and alter of registers; dynamic monitoring of registers or memory during program execution; program execution control including break-point capability and single instruction step; automatic tape load and store through a built-in routine that allows programs to be loaded with a single button; and write or read any I/O port. The front panel of the H8 is so versatile it's like having a mini I/O terminal built right in!

Other features of the H8 front panel include status lights for power-on, run, monitor and interrupt enable; a built-in speaker for audible feedback on keyboard entry. The speaker also can be programmed for variable tones, permitting a variety of special effects to be generated.

The CPU board is fully wired and tested. It features the 8080A, clock, systems controller, ROM monitor and full bus buffering. Seven vectored interrupts are available on the bus for quick response to your I/O requests. A built-in clock lets you design and run in real time.

The H8 uses an exclusive, Heath-designed bus which incorporates many practical improvements over existing busses. The bus is fully buffered to reduce noise and crosstalk and is "glitch" free to eliminate timing problems. Three-state line drivers and receivers are used on all bus lines to eliminate loading problems. The 50 lines include address, data, control, clock and interrupt lines, plus all signals needed to support the 8080 MPU and virtually any I/O or memory accessory. The bus is implemented on a heavy-duty printed circuit mother board with wide, heavy copper foils for greater physical strength plus reduced crosstalk and noise. The board has 10 positions for installing



Comprehensive Heathkit assembly and operations manuals give you the superior documentation you NEED for a thorough understanding of your H8.


Systems software is supplied in audio cassette format.

a 50-line fully buffered bus capable of addressing 65K bytes and a mother board with positions for up to 10 plugin circuit boards. Includes BASIC, assembler, editor and debug software at no extra cost!

connectors that accept the front panel, CPU, memory, I/O and accessory cards. All I/O bus connectors are included with the mother board for fast and easy expansion when you want it.

The H8's built-in power supply is convection cooled for adequate ventilation without the use of noisy fans. Separate IC regulators provide distributed regulation with a heat sink on each circuit board for excellent heat dissipation. Power supplies of +8, -18 and +18 volts are provided to handle up to 32k memory plus three I/O interfaces. Switch-selectable 120 V, 60 Hz or 240 V, 50 Hz AC increases versatility.

The H8 includes all system software in 1200 baud audio cassette form at no extra charge. The Benton Harbor BASIC[™] is an enhanced version of standard Dartmouth BASIC with unique statements and commands to extend usefulness. The efficient compression techniques of the Benton Harbor BASIC permit you to put more program in less space.



All H8 systems software is supplied in audio cassette form. Also available in paper tape (H8-15, page 5) at extra cost.

HASL-8 The Heathkit Assembly language is a 2-pass absolute assembler that lets you program with easily understood mnemonics and generates efficient machine language code. A minimum of 8K memory is required.

The TED-8 software is a line-oriented text editor used for generating source programs for the assembler or general word processing. Requires a minimum of 8K memory.

The BUG-8 a powerful terminal console debug program, is an enhanced and extended version of the front panel monitor program to allow entry and debugging of user machine language programs via an external terminal. Requires 3K memory plus user program.

The H8 is housed in a rugged, heavy-duty cabinet, 161/4 " W x 61/2" H x 17" D. Requires at least one H8-1 Memory.


Kit H8, Shpg. wt. 30 lbs. 375.00


Suggested applications for the H8 computer: As a trainer-learn microprocessor operation, interfacing and programming. The powerful front panel lets you get at and use all parts of the unit. As an entertainment center-use game and other applications programs for entertainment the whole family can enjoy.

As a hobby computer—the H8 can be used to process any information you program into it—it's perfect for hobby experimentation and design. A variety of peripherals and interfaces let you use it with other equipment—run your Ham radio station, control your model railroad systems, etc.

As an educational system—the H8 is ideal for schools, community colleges, libraries, etc. Full H8 software permits teaching BASIC plus machine and assembly language programming.

As a home management center—use the H8 to keep telephone numbers, monitor your budget, keep your checkbook balanced, do your income taxes, inventory your personal belongings. There are hundreds of ways the H8 can make your life more convenient.





Its unique front panel keyboard makes the H8 the most powerful and sophisticated low-cost general-purpose computer available. Just take a look at these features!

 Direct-access to registers and memory even while program is running

• One button load and dump for fast, uncomplicated system startup

• Single instruction key lets you "step" through programs for easy debugging, program evaluation and learning

• Input/output keys let you communicate directly with any port

The unique Heath-designed 50-pin bus is implemented on a heavyduty printed circuit board with heavy copper-foil bus lines. The 10-position mother board is complete with all connectors. The bus lines are fully buffered to eliminate noise and crosstalk, and "glitchfree" to prevent timing problems. **Modular circuit boards** slide into the H8 mainframe for easy memory and I/O expansion, easy access for servicing. The boards are in a semi-vertical position with unconfined heat sinks to enhance convection cooling and improve heat dissipation.

Heavy-duty power supply, rugged steel chassis and securely mounted and braced circuit boards make the H8 a truly reliable and longlife machine.



Unique Heathkit Software.

The Heathkit software supplied with the H8 computer has a number of features that make it easier to use and more practical than conventional systems. Automatic "command completion" simplifies typing; dynamic syntax checking instantly alerts you to errors and a special user configuration lets you really personalize your system. H8 software pushes the state-of-the-art a generation ahead — it's memory efficient to give you more computing power for your memory dollar, modular design for easy expansion, and thoroughly documented for easy programming and maximum effectiveness.

H8 "Intelligent" Front Panel

The H8 front panel digital readout is the most informative display available on any personal computer to date. All displays are continuously updated even while your program is executing, giving you instant access to registers and memory for direct monitoring of program activity.

MEMORY DISPLAY – Shows memory location and contents using 6 digits for address and 3 digits for data.


REGISTER DISPLAY — Shows CPU-register contents using 6 digits for data and 2 digits for register identification.

I/O PORT DISPLAY — Shows I/O port data and location using 3 digits for data and 3 digits for port address.

H8 ACCESSORIES, SOFTWARE AND MANUAL SET




The H8 CPU is fully wired and tested to insure quick and trouble-free system startup. It contains the performance proven 8080A microprocessor chip, a 1Kx8 ROM with monitor program for controlling the front panel and input-output (load-dump) routines. Other features of the CPU include: 7 vectored interrupts, DMA capability, crystal-controlled clock and fully buffered bus with three state drivers. Use of the 8080A, which has the largest software library of any microprocessor, along with Heath software and documentation, makes the H8 one of the most practical and immediately useful computers you can own.




H8-1 Memory Board. 8Kx8 memory card supplied with 4K memory, plugs directly into H8 bus. Features maximum storage capacity of 8192 8-bit words. Uses modern 4Kx1 static memory IC chips for easy assembly and service. Access time, less than 450 nS. With on-board regulators, heat sinks and full buffering. Expandable to 8K memory with H8-3 chip set below. Kit H8-1, Shpg. wt. 2 lbs. 140.00

H8-3 Chip Set. Kit of eight 4K static memory IC's. Expands H8-1 to full 8K storage. With sockets.



H8-2 Parallel Interface. Connects H8 to any parallel device such as a paper tape reader/punch (required for H10) or line printer. Has three independent parallel ports, each with 8 bits input and 8 bits output and universal handshaking capability. Compatible with all Heath software. 390 μ S maximum transfer time. With diode-clamped inputs, buffered outputs and full interrupt capability.

Kit H8-2, Shpg. wt. 3 lbs. 150.00



H8-5 Serial I/O and Cassette Interface. Connects the H8 to serial devices such as the H9 video terminal (page 10) or the H36 DEC Writer II (page 12). Features jumper selectable data rate from 110 to 9600 baud, plus common input/output interfaces including 20 mA current loop and EIA RS-232C compatible levels. The cassette recorder interface permits the use of standard cassette recorders (Heathkit ECP-3801, page 12). Uses the popular Byte/Manchester or "Kansas City" standard recording format with a 300 or 1200 baud read/record rate. Control lines for remote start and stop of two cassette units allow separate record and playback for easy program or file editing. Also has full interrupt capability. LED test circuit for easy board setup and overall system servicing. Fully compatible with all Heath software.

Kit H8-5, Shpg. wt. 3 lbs. 110.00

NOTE: Proper operation of the H8-5 is assured only if you use the Heath ECP-3801 cassette player/recorder and Heathrecommended recording tape (ECP-3802, page 12). Heath is not responsible for improper operation associated with other cassette units.

Extended Benton Harbor BASIC

Extended Benton Harbor BASIC is an enhanced and more powerful version of the BASIC supplied with the H8. It provides even faster operation and includes character strings, additional convenience commands and math functions, dynamic storage allocation, access to real time clock, keyboard interrupt processing, expanded error messages and recovery ability, LED display control and key pad support. A minimum of 12K memory is required to run this BASIC, 16K is preferred if full use is to be made of its capabilities.

H8-14 (fan fold paper tape) Shpg. wt. 1 lb. 10.00

Paper Tape Systems Software

A paper tape version of the systems software supplied with the H8 computer. It consists of four fan fold paper tapes, one each for Benton Harbor BASIC, HASL-8 assembler, TED-8 editor, and BUG-8 debug. For use with the H10 paper tape reader/punch or other paper tape I/O equipment.

H8 Manual Set

Find out about the H8 before you buy! This manual set includes the complete assembly and operations manuals for the H8 Digital Computer, H8-1 memory card, H8-2 parallel interface, H8-3 4K memory expansion chip set, H8-5 serial and I/O cassette interface, H9 video terminal and H10 paper tape reader/punch. H8 software documentation covering monitor, editor, assembler, debug and BASIC is also included. In handsome 3ring binder.

HM-800 Manual Set.

The purchase price of the HM-800 manual set will be refunded when you buy the H8. Simply include HM-800 saleslip with your order.





You can get even more excitement and practical use from your H8 by joining HUG, the Heathkit User's Group. It will put you in contact with other Heathkit computer users, provide a program library and an informative newsletter to keep you up to date. A HUG application is enclosed with each Heathkit computer product. See page 12 for further details.

Two of the finest names in modern electronics, Heath and Digital Equipment Corporation (DEC) combine to bring you the world's first 16-bit computer priced within reach of the general public!





HEATHEIT

1011010

The H11 and all its accessories will be available November 10th, 1977.

OC CON

HEATHKIT[®] DIGITAL EQUIPMENT CORPORATION[®] H¹¹ DIGITAL COMPUTER

Heath and DEC join forces to bring you mini-computer performance at a microcomputer price! The H11 features a fully wired and tested DEC KD11F board that contains the 16-bit LSI-11 CPU, 4096 x 16 read/write MOS semiconductor memory, DMA operation; and includes the powerful PDP-11/40 instruction set, PLUS Heath/DEC PDP-11 software. Equivalent commercial versions of the H11 would cost \$1,000's of dollars more!

The new Heath/DEC H11 personal computer is one of the most powerful and sophisticated units available today! It combines the advanced, performance-proven hardware and software of the LSI-11 with Heath's expertise in kit design and documentation to bring you a personal computer of almost incredible power and flexibility. Equivalent commercial versions of the H11 would cost over twice as much, and you still wouldn't get the superior documentation and support of the H11!

The LSI-11 bus is a mechanically and electrically superior bus with 38 high-speed lines containing data, address, control and synchronization lines. Sixteen lines are used for time multiplexing of data and addresses. All data and control lines are bidirectional, asynchronous, open-collector lines capable of providing a maximum parallel data transfer rate of 833K words per second under direct memory access operation.

The 16-bit CPU functions are contained on four MOS LSI integrated circuit chips. These chips provide all instructions, decoding, bus control, and ALU functions of the processor. The CPU has eight general registers which serve as accumulators, index, autoincrement/autodecrement registers or stack pointer.

The KD11F memory is a 4096-by-16 MOS semiconductor memory composed of LSI 4K dynamic RAM chips. These chips require little power, provide fast access time, and are refreshed automatically by the processor's microcode. Additional memory cards can be added to expand memory capacity up to 20K in the H11 cabinet (32K words total).

The backplane/card guide assembly holds the microcomputer and up to six I/O and memory modules. All LSI-11 bus data, control, and power connections are routed on the printed circuit backplane to each module location. The backplane/card guides are fully compatible with all standard DEC LSI-11 accessories.

An efficient, well-designed switching power supply provides the required DC voltage for the LSI-11 as well as all accessory modules. The supply features overvoltage and overcurrent/short-circuit protection, power fail/automatic restart and a built-in fan for quiet cooling. The dual primary power configuration can be connected for 115 V, 60 Hz or 230 V, 50 Hz input power.

Has single-level, vectored, automatic priority interrupt, real-time clock input signal line, ODT/ASCII console routine/bootstrap resident in microcode for automatic entry into debugging mode, replacement of panel lights and switches with any terminal device generating standard ASCII code, and the ability to automatically commence operation through resident bootstrap routines.

The H11 is supplied with versatile PDP-11 software including editor, relocatable assembler, linker, absolute loader, debug program, I/O executive program, dump routines, BASIC and FOCAL (See details below). The software requires a minimum of 8K memory, with 12K to 16K total memory recommended for maximum capability. Rugged metal cabinet measures 6½" H x 19" W x 17" D. For 110/220 VAC, 50/60 Hz.

POWERFUL HEATH/DEC PDP-11 SOFTWARE AT NO EXTRA COST!

The H11 includes a sophisticated software system that lets you get your computer up and running with practical programming capabilities. This paper tape based software would cost over \$1200 if purchased separately. A minimum of 8K memory is required to run the software. The programs include:

ED-11. Assists you in the creation and modification of ASCII source tapes, also used to write assembly language programs and for general text editing or word processing functions.

PAL-11S. Relocatable assembler converts ASCII source tapes into relocatable binary modules. This lets you create programs in small, modular segments for easier coding and debugging. These binary modules serve as inputs to LINK-11S.

LINK-115. Link editor which links the modules created by the PAL-11S into a load module ready for execution on the H-11. The module is loaded into the H-11 via the Absolute Loader.



The H11 is complete with superior Heathkit documentation and versatile system software.

Absolute Loader. Loads absolute binary tapes into the H11 memory for execution.

ODT-11X. Lets you debug the programs which you have created. Permits modifying and controlling program execution "on the fly" for quick, efficient debugging.


IOX. I/O executive program permits I/O programming without developing device-driving programs. Links to your programs using the LINK-11S. For use with high speed paper tape reader/ punch and line printer.

DUMP-AB and DUMP-R. Lets you dump absolute binary contents of memory into the paper tape punch.

BASIC. DEC's powerful version of standard Dartmouth BASIC interpreter uses english-type statements and mathematical symbols to perform operations. Immediately translates, stores and executes the program. Includes string capability.


FOCAL[™] DEC's own interpretive computer language which combines simplicity with computing power. Ideal for most scientific, engineering and math applications. FOCAL[™] programs can be written and executed easily. Both 4K and 8K versions are included.

NOTE: H11 owners are eligible for membership in the Digital Equipment Computer User's Society (DECUS). This organization provides useful symposia, newsletters, program library and other useful information to help you get the most from your LSI-11 computer.



FULLY WIRED AND TESTED KD 11F BOARD

The "heart" of the H11 computer is the standard DEC LSI-11 microcomputer board. The 16-bit CPU functions are contained in four silicon gate N-channel MOS LSI integrated circuit chips for high reliability and superior performance. The 4096-by-16 read/write MOS semiconductor memory is composed of LSI 4K dynamic RAM chips that provide fast access time and require little operating power. The CPU executes the powerful PDP-11/40 instruction set with over 400 instructions. There are no separate memory I/O or accumulator instructions, so you can manipulate data in peripheral device registers as easily and flexibly as in memory registers. The LSI-11 board is supplied fully wired and tested to facilitate kit assembly and provide greater reliability and less chance of error.



Compact, efficient switching power supply uses less power to operate and generates less heat than conventional supplies. Overvoltage and overcurrent/short circuit protection, along with automatic power-up and power-down sequencing, provide high reliability and long life operation.

Built-in quiet-running fan provides efficient cooling and prevents heat buildup.


Card cage with backplane accommodates up to six accessory cards in addition to LSI-11. The card cage swings up for easy access and service even while the H11 is operating. Accessory boards slide directly into card guides with all connectors supplied.

Front panel controls include DC power switch and run/halt switch. Status lights indicate processor activity.

Styled and sized to match Heathkit peripherals for total system continuity.

Rugged steel chassis and extra-thick backplane with heavy, solid connectors for added strength and years of superior performance.





Card handles provide easy removal and insertion in card cage

Sixteen state-of-the-art 4K static memory chips for high density storage

All IC's are socketed for easy kit assembly, easy access for service or troubleshooting




All inputs are diode-clamped for worry-free interfacing and system protection

2

Separate cables and rear panel connectors for highbyte and low-byte increase system flexibility

Gold-plated edge connectors maintain superior electrical contact for high reliability and long life



Quartz crystal and integrated baud rate generator has superior accuracy for reliable system interfacing H11-1 4K Memory Expansion Module

Plugs into H11 backplane, adds 4K x 16bit word capacity to H11 memory. Uses high-reliability 1Kx4 static MOS RAM chips. Access time is less than 500 nS. Has decode circuitry for operation on 4K address boundaries. Handle for easy removal and insertion. Compatible with PDP 11/03 and other LSI-11 backplane machines.

Kit H11-1, Shpg. wt. 2 lbs. 275.00

2 H11-2 Parallel Interface

General-purpose parallel interface featuring 16 diode-clamped latched data input lines. 16 latched output lines. 16-bit word or 8-bit byte data transfers. Has LSI-11 bus interface and control logic for interrupt processing and vectored addressing; control status registers compatible with PDP-11 software routines. Four control lines for output data ready, output data accepted, input data ready and input data accepted logic operations. Maximum data transfer rate, 90K words per second under program control. Maximum drive capability, 25-ft. cable. Plugs into H11 backplane, can be used with DEC PDP-11/03 and other LSI-11 backplane machines. Also compatible with TTL or DTL logic devices. The H11-2 is required for interfacing the H11 to the H10 Paper Tape Reader/ Punch.

Kit H11-2, Shpg. wt. 2 lbs. 95.00

3 H11-5 Serial Interface

Universal asynchronous receiver/transmitter serial interface module for use between LSI-11 bus and serial devices such as the Heathkit H9 video terminal (page 10) or LA36 teleprinter (page 12). Has optically isolated 20 mA current loop and EIA interfaces; selectable baud rates of 50, 75, 110, 134.5, 150, 200, 300, 600, 1200, 1800, 2400, 4800 and 9600. Plugs into H11 backplane, fully compatible with PDP 11/03 and other LSI-11 backplane machines. With all mating connectors. **Kit H11-5,** Shpg. wt. 2 lbs.**95.00**

H11-6 Extended Arithmetic Chip

Adds powerful arithmetic instructions to the LSI-11, including fixed point multiply, divide and extended shifts plus full floating point add, subtract, multiply and divide. Helps minimize or eliminate arithmetic sub-routines, speeds up program execution and eases program development. Saves memory space too. 40-pin dual-inline package IC plugs into socket on KD11F board.

H11-6, Shpg. wt. 1 lb.159.00

Manual Set for H11 Computer

Includes complete assembly and operation manuals for the H11 Digital Computer, H11-1 4K memory board, H11-2 parallel interface, H11-5 serial interface, H9 CRT terminal, and H10 paper tape reader/punch. Also includes complete soft-



ware documentation – monitor, editor, assembler, linker, BASIC, FOCAL and related software. In handsome 3-ring binder.

HM-1100 Manual Set, Shpg. wt. 12 lbs.25.00

NOTE: The price of the manual set can be deducted when you order an H11.

NOTE: DEC, DIGITAL, FOCAL and PDP are registered trademarks of Digital Equipment Corporation.

Special DEC Software License Requirement

H11 purchasers are required to fill out and sign the DEC license agreement on page 15. Please do so and include with your H11 order. Heath cannot ship merchandise without this license agreement.

THE HEATHKIT VIDEO TERMINAL

One of the lowest-cost full ASCII terminals available anywhere - features a bright 12" CRT display with twelve 80-character lines, 67-key keyboard, all standard serial interfaces, plus a fully wired and tested control board and a wiring harness for simplified assembly.



HEATH charg-a-kit AOLVING CHING

H9 LONG AND SHORT-FORM VIDEO DISPLAY TERMINAL

The H9 video terminal is a general-purpose computer peripheral designed for use with the Heathkit H8 or H11 computers. It provides keyboard input and a CRT for the convenient entry and display of computer programs and data. The H9 can be used with any digital computer in dedicated stand-alone applications or in time-sharing systems.

Character format is standard upper case 5 x 7 dot matrix. The long form display is twelve 80-character lines. The short form display is forty-eight 20-character lines in four 12-line columns. The automatic line carryover feature executes line feed and return when line exceeds character count on both long and short form displays. A built-in oscillator/speaker generates a 4800 Hz tone and serves as audible end-of-line warning.

Auto-scrolling is featured in both long and short form. In the long form, as the line enters at bottom, the top line scrolls off-screen; in the short form, as new column enters from right, the left column scrolls off-screen. Auto-scrolling can be



80-character lines

Short form - forty-eight 20-character lines

defeated with a front panel switch. The cursor mark indicates the next character to be typed for accurate positioning. Cursor control keys include up, down, left, right and home. Serial data baud rates are selectable from 110-9600. Baud rate clock output and reader control are available on the rear panel connector. The erase mode permits automatic full page erase or erase to end of line starting at cursor position. A transmit page function allows a full page to be formatted, edited and modified, then transmitted as a block of continuous data.

The plot mode permits graphs, curves and simple figures to be displayed. Plot-

Full AS	SCII 67-key Keyboard
Function keys are positioned.	
away from characters to prevent miskeying and error.	
Standard typewriter keyboard for -	
easy, more accurate input.	
Wide, easy-to-use space bar aids	
Wide, easy-to-use space bar aids accurate typing.	



Three separate modes give the H9 real display versatility

Plot mode – graphs, curves, simple figures



Control PC board is fully assembled and tested for added reliability and simplified kit assembly. A wiring harness with connectors helps reduce time-consuming point-to-point wiring.

ting can be accomplished via the keyboard or from external inputs.

The H9 serial interface provides EIA RS-232C levels, a 20 mA current loop or standard TTL levels. Parallel interfacing includes standard TTL levels, 8 bits input and 8 bits output and 4 handshaking lines.

Ultra-compact size, only 121/2" H x 15%" W x 203/4" D, makes the H9 ideal for desktop or console applications. For 110 VAC, 60 Hz or 230 VAC, 50 Hz.

Kit H9, Shpg. wt. 50 lbs. 530.00






A general-purpose mass storage peripheral designed for use with the H8 and H11 computers plus any other computer. Features a heavy-duty built-in power supply, totally independent punch and reader and a copy mode for fast, easy tape duplication.



HIO DELUXE PAPER TAPE READER/PUNCH



Heavy-duty solenoids for reliable, long-life operation Precision machined punch block for accurate, consistent punched holes

Advanced reader design with stepper motor and solid-state sensors for accurate reading

The H10 is a complete paper tape reader/ punch mass storage peripheral using reliable low-cost paper tape. It's fully compatible and styled to match with the H8 and H11 computers. It also works reliably with any other computer through a parallel interface. The H10 uses standard 1" wide roll or fan-fold 8-level paper tape. Standard punched paper tape gives you the reliability, durability and trouble-free handling you need for effective mass storage of programs and data.

The reader reads tape at a maximum rate of 50 characters per second. A full sensitivity adjustment on each channel permits any color, thickness, quality (oiled or unoiled) paper tape to be used. Sensitive photo Darlington transistors and an incandescent lamp reader head provide reliable reading. The powerful stepper motor drive insures accurate tape positioning and movement.

The punch operates at a maximum speed of 10 characters per second. Precise ratchet/solenoid drive and reliable solenoid control of punches provide highaccuracy punching. The precision dieblock punch head gives you positive and consistent punching.

Controls include power on-off, read and punch start. A feed control feeds blank paper tape through the punch to produce leader tape. A copy control on the rear panel permits tape being read to be duplicated by the punch for efficient and accurate tape copying.

Interface has parallel 8-bit input bus for punch, parallel 8-bit output bus for reader, standard TTL logic levels and handshaking lines for both reader and punch. A rear panel 24-pin interface connector and mating cable are supplied. The H10 is fully compatible with Heathkit H8 and H11 computers when the appropriate parallel interface accessories are used. It can also be interfaced with other computers with parallel interface facility.

Accessories include holder for roll paper tape, chad collector tray, and collector box for fan-fold tape. With 8" roll (900 ft.) blank paper tape.



Styled to match the Heathkit H8 and H11 computers. Cabinet with metal top and rugged steel chassis, $125\%'' H \times 934'' W \times 195\%'' D$. For 110-130 VAC, 60 Hz, or 220-240 VAC, 50 Hz.

Kit H10, Shpg. wt. 29 lbs. 350.00

H10-2, Three Blank Rolls Paper Tape, each 8" diameter, 900 ft. min.

H 10-3, Three Boxes Blank Fan-fold Tape. Approx. 1000 ft. each.



ECP-3801 Cassette Recorder Storage Device

Has volume and tone controls, pushbuttons for record, play, rewind, fast forward, stop and eject, built-in 3-digit counter with reset button. Factory wired, not a kit.

*NOTE: Proper operation of the H8-5 and H8 software is assured only when the ECP-3801 cassette recorder and ECP-3802 tape is used. Heath does not assume responsibility for improper operation resulting from the use of any other cassette units.

HUG[®] the Heathkit User's Group

Our new user's group brings you in contact with other Heathkit computer owners and users, provides a newsletter, a program library, new product information and hardware/software ideas. Membership in HUG is a useful, practical way to get the maximum enjoyment and benefit from your Heathkit computer system. Here's what you get:

- 1 year subscription to the quarterly newsletter
- Software library allowing you to submit programs and obtain programs submitted by others. A modest fee will be charged for software duplication.
- An attractive 3-ring binder to hold newsletters, software documentation and other materials.
- Program submission forms
 Software library catalog
- HUG membership list Credit toward purchase of software

Dues are \$14.00 for one year. Complete details of HUG membership are included with every Heathkit computer product. H11 owners are also eligible for membership in DECUS, see page 7 for details.

Heathkit 12

LA36 DEC Writer II Keyboard Printer Terminal

The famous LA36 DEC Writer II with true 30-cps throughput, variable-width forms handling, 128-character upper/lower case set, and extra-quiet operation. Fully assembled, factory tested and ready to use!

The LA36 is an advanced technology teleprinter offering fast, reliable operation at one of the best price/performance ratios in the industry. It features a 7x7 dot matrix print head for crisp, clear character formation; switch-selectable 10, 15 and 30 cps printing speeds; variable width forms handling from 3 to 14%" wide; adjustable right and left hand tractors for precise margin positioning; half or full duplex operation; ANSI-standard multikey rollover and a typewriter-like keyboard.

The precision-designed stepper motor paper feed has fine vertical adjustment for accurate forms placement. LA36 will handle up to 6-part forms with a .020" maximum pack thickness. Print format is 132-column, with 10 characters per inch horizontal spacing and 6 lines per inch vertical spacing. Uses the entire 128 character ASCII upper/lower case set with 95 printable characters. A CAPS-lock key simplifies data entry. A parity check on output prints a replacement character, strappable to odd, even, or none with mark or space. A last-character visibility feature moves the head four columns to the right when printing stops, returns to proper position when printing is resumed.

The integral 20 mA current loop interface makes the LA36 compatible with both the H8 and H11 computers, as well as all other hobby and personal computers. Operates on 90-132 VAC or 180-264 VAC for reliable performance even under brown-out conditions. With connecting cable and integral stand for easy setup. Overall size, $271/_2$ " W x $331/_4$ " H x 24" D.

H36 (LA36 DEC Writer II) Shipped Motor Freight, prepaid to your nearest terminal within the Continental U.S. Include your phone number on order for notification of arrival. Arrangements for home delivery at extra charge at your option. NO C.O.D ORDERS ACCEPTED. \$1495.00

H36-1 Fan-fold paper for H36. Standard $14\%'' \times 11''$ white and green, single part, lined paper. 3450 sheets per carton.

H36-2 EIA Interface. Provides EIA RS232-C or CCITT-V24 interface for LA36. Includes auto answer, timed disconnect and half/ full duplex logic. Straps are available to send timed break (230 mS), 3000 mS long space, forced disconnect or do nothing (stops printing, discards data) on a paper-out condition. Modem controls and a 9-ft. cable with 25-pin data-set type connector are also supplied. Factory wired, not a kit.

H36-2. Shpg. wt. 1 lb.65.00

APPLICATIONS SOFTWARE-COMING SOON !

Both the H8 and H11 Digital Computers are supplied with complete systems software that provide you with everything you need to develop your own specific applications programs. However, you can make your computer immediately useful by using the programs below. These programs represent the beginning of a complete series of application software packages that will allow you to get immediate value from your computer system without a time consuming software development, effort on your part. Described below are a series of game packages that wake your computer an excellent source of entertainment and leisure time activities.

BLACKJACK. An interactive program game that allows four players to play the card game blackjack on the computer. The computer performs all of the functions of the dealer and keeps track of player progress, winnings and losses. The program is written in and runs under extended BASIC and requires a minimum of 16K of RAM in the H8 and 8K in the H11. Standard Las Vegas casino blackjack rules apply.

BIORHYTHM. This popular applications program computes standard biorhythm information and plots sinusoidal curves of your physical, emotional, and intellectual characteristics over a given time period. The biorhythm program will show you your ups and downs and will tell you your good and bad days. It will help you plan your activities. While this program is not a game, it is an entertaining activity that you and your friends and family will enjoy. The program runs under extended BASIC and requires 16K of RAM in the H8 and 12K RAM in the H11.

STARTREK. Startrek is perhaps the most popular computer game available. It allows you to guide, control and command the Starship Enterprise in its travels through the galaxy, fighting Klingons and solving a variety of problems. A truly challenging, sophisticated and entertaining computer game. Runs on the H8 or H11 computers with 8K of RAM or more.

GAME SET #1. This software package lets you play 8 popular computer games. These games include Craps, Orbit, Tic Tac Toe, Nim, Hexapawn, Hangman, Hmrabi, and Derby. 8K RAM or more is required on either the H8 or H11. These games will provide hours of entertainment for you and your family.

GAME SET #2. Another popular game package for the H8 and H11 computers. Contains 8 popular computer games including bagles, slot machine, gomoko, yahtze, apollo, gunner, wumpus, and cube.

AVAILABILITY. Blackjack, Biorhythm and Startrek will be available after October, 1977. Game Set ± 1 will be available November, 1977 and Game Set ± 2 available, February, 1978.

Order a complete Heathkit computer system and SAVE!

STEM ONE

The minimum recommended H8 system
H8 Computer\$375
H8-1 4K Memory 140
H8-3 4K Chip Set 95
H8-5 Serial I/O and Cassette
Interface 110
H9 Video Terminal 530
ECP-3801 Cassette
Recorder/Player 55
If purchased separately, \$1305.00

Heath System 5

75*

price is

Choose any of the Heath-recommended systems shown here, the specially-priced HS-11 system below, or "roll your own" with a selection of products you choose. Any way you do it, you'll get a top-value, high-performance system, and you'll SAVE 5%! Here's how to qualify for the 5% computer systems discount:

In Arthrete

- 1. Select either the H8 or H11 and one major peripheral (H9, H10 or LA36).
- 2. Choose the I/O interface, memory and software accessories you need.
- 3. Specify each in the spaces provided on the order blank.
- 4. Deduct 5% from the total price of the products (excluding shipping and handling charges).
- *Systems illustrated already have discount prices calculated for you.

From time to time, Heath will offer specially priced total systems such as the HS-11 be-low. These systems will be discounted even deeper than 5% to provide you with even MOPE when for we commune delived MORE value for your computer dollar!

SYSTEM TWO

The ECP-3801 is the Heath-recommended

cassette recorder/player for use with the H8 computer software. See opposite page for complete description.

H8 Computer\$375 Two H8-1 4K Memories 280 Two H8-3 4K Chip Sets 190 H8-5 Serial I/O and Cassette Interface 110 H8-13 Extended BASIC in Cassette Format 10 H9 Video Terminal 530 **ECP-3801** Cassette Recorder/Player 55

If purchased separately, \$1550.00 Heath System \$127250* price is



SYSTEM THREE

The minimum recommended H11	system
H11 Computer\$	1295
H11-1 4K Memory	275
H11-2 Parallel Interface	95
H11-5 Serial Interface	95
H9 Video Terminal	530
H10 Paper Tape	
Reader/Punch	350
If purchased separately, \$	2640.00
Haath Custom	




SYSTEM FOUR

SAVE EVEN MORE on this specially-priced Heath HS-11 complete computer system!

H11 Computer	\$1295
H11-1 4K Memory	275
H11-2 Parallel Interface	95
H11-5 Serial Interface	95
H10 Paper Tape	
Reader/Punch	350
H36 LA36 DEC Writer II	1495

If purchased separately, \$3605.00



YOU SAVE \$255!

CONTRACTOR OF 1



NEW HEATHKIT SELF-INSTRUCTIONAL COMPUTER COURSES

> These Heathkit self-instructional courses are designed to help you get the most from your computer investment, whether you buy your computer hardware from Heath or anywhere else. While many predeveloped software programs are available, the only way to realize the full value of your personal computer is to learn programming yourself. These courses use the PROVEN Heathkit individual learning techniques to give you a thorough understanding of programming, even if you have no prior knowledge or experience. They'll show you exactly how to make your personal computer system really personal!

BASIC PROGRAMMING SELF-INSTRUCTIONAL COURSE

This course teaches you how to program your computer using the popular BASIC language. BASIC (Beginner's All-Purpose Symbolic Instruction Code) is essential for hobby and personal computing; it is also widely used in education and business. The course covers all formats, commands, statements and procedures plus the creative aspects of computer programming, so you can make practical use of it in solving problems and creating your own unique programs. Like other Heathkit self-instructional courses, it uses programmed instructions backed by practical hands-on computer experiments and demonstrations to reinforce and personalize the text material. An optional final exam (passing grade 70%) brings you a Certificate of Achievement and 3.0 Continuing Education Units*. While the BASIC course is keyed to Heathkit computers, it is also equally applicable to any computer system using BASIC. Available after Oct. 20th, 1977.

*Continuing Education Units (CEU's) are nationally recognized means of acknowledging participation in non-credit adult education.



GENERAL COMPUTER BOOKS

8080 BOOKS

Build a library to support your H8 computer or any 8080 based machine.

COMING IN OCTOBER!

MICROPROCESSOR SELF-INSTRUCTIONAL COURSE

Learn how microprocessors operate and how to design with them. Covers applications, machine language programming, hardware I/O interfacing and much more. The course includes all IC's needed to perform exciting experiments. The microprocessor trainer used with the course features the popu-

EDP-23521.95

6800 BOOKS

Great reference sources for your 6800 based computers.

6800 Programming for Logic Design (Osborne). Programming and using the 6800 microprocessor. EDP-2307.50 6800 Software Gourmet Guide and Cookbook

(Scelbi). Excellent source of commonly used 6800 programs. EDP-2339.95

6800 Microprocessor Programming Manual (Motorola). Programming principles and examples for the 6800. EDP-24510.00

H11/LSI-11/PDP-11 BOOKS

Here are several important reference sources to help you get the most value from your H11 Computer.

COMING SOON!

8080 Programming: Teaches you the machine and assembly language used with 8080-based computers. Shows you how to use the editor, assembler and debug software to create efficient programs. Ideal for the H8 and other 8080A based machines. Coming soon.

LSI-11 Programming: Shows you how to use editor, assembler, linker, debug and executive I/O software to create efficient programs. Applicable to H11 and most other Digital Equipment Corporation PDP-11 series computers. Coming soon.

of RAM, a 1K ROM monitor, 6-digit hexadecimal display and hexadecimal keyboard. The Heathkit microprocessor course/trainer combo is the fast, easy low-cost way to learn about these important devices. Watch for it in our next catalog!

lar 6800 microprocessor plus 256 bytes

GENERAL PROGRAMMING AND APPLICATIONS BOOKS

HEATH				
Schl	um	ber	ge	

handling.

Qty.

ping and handling.

and handling.

ping and handling.

ping and handling.

plus \$1.15 shipping and handling.

handling.

Otv.

Qty.

H11-1 4K Memory(s) at \$275.00 each

H11-2 Parallel Interface at \$95.00 each plus \$1.15 ship-

H11-5 Serial Interface at \$95.00 each plus \$1.15 ship-

Please send the following Computer Books (order must

total \$10.00 minimum) postpaid (Print numbers plainly.)

ORDER FORM

Agreement Gentlemen: Please send me the Heathkit Computer Products I have checked below. I understand that if I order products designated for future delivery Heath will do their best to ship within 30 days of those availability dates. H11-6 Extended Arithmetic Chip at \$159 each plus \$1.15 H8 Computer at \$375.00 each plus \$5.40 shipping and shipping and handling. H8-1 4K Memory(s) at \$140.00 each HM-1100 Manual Set at \$25.00 each plus \$2.50 shipping plus \$1.15 shipping and handling. and handling. H9 Video Terminal at \$530 each plus \$7.64 shipping H8-3 4K Chip Set(s) at \$95.00 each plus \$1.15 shipping and handling. and handling. H10 Paper Tape Reader/Punch at \$350 each plus \$4.96 H8-2 Parallel Interface at \$150.00 each plus \$1.30 shipshipping and handling. H8-5 Serial I/O Cassette Interface at \$110.00 plus \$1.15 H10-2 Three Rolls Paper Tape at \$10.00 plus \$1.15 shipshipping and handling. ping and handling. H8-13 Extended BASIC Cassette at \$10.00 each plus H10-3 Three boxes Fan-fold Paper Tape at \$10.00 plus \$1.15 shipping and handling. \$1.15 shipping and handling. H36 DEC Writer II at \$1495 (No COD's, see page 12 for H8-14 Extended BASIC on paper tape at \$10.00 each shipping information.) plus \$1.15 shipping and handling. H8-15 Paper Tape Systems Software for H8 at \$20.00 H36-1 Fan-fold Paper at \$30.00 plus \$7.76 shipping and each plus \$1.15 shipping and handling. handling. HM-800 Manual Set at \$25.00 each plus \$2.37 shipping H36-2 E1A Interface at \$65.00 each plus \$1.15 shipping and handling. H11 Computer at \$1295.00 each plus \$5.52 shipping and

ECP-3801 Cassette Recorder/Player at \$55.00 each plus \$1.69 shipping and handling.

ECP-3802 Cassette Recording Tape. Pkg. of three at \$5.00 plus \$1.15 shipping and handling per pkg.

EC-1100 BASIC Programming Course at \$29.95 plus \$1.69 shipping and handling. Available after October.

HS-11 Special Priced Complete System at \$3350 each plus \$14.00 shipping and handling.

Note: The H11 and all its accessories will be available November 10th, 1977.

I enclose my
_ check
_ money order for \$_____ (Michigan residents add 4% sales tax.) HEATH REVOLVING charge with Or charge to my 🗌 Visa/Bankamericard 🗌 Master Charge CHARGE PLAN AOLVING CHAR Acc't No._ Exp. Date____ You may purchase Heathkit If Master Charge, include Code No. products on our convenient Re-Add on to or reopen my existing Heathkit Charge Account. No.___ volving Charge Plan. No money (\$1500 maximum account balance.) down and up to two years to pay. Up to \$1500 maximum Signature____ (necessary to ship merchandise) account balance. □ I would like to open a Heath Name___ Please print plainly Revolving Charge Account. Please rush me the neces-Address_ sary application forms when you receive this order. City. State_ Zip. BR-119 All prices net F.O.B. Benton Harbor, Mi. Prices and specifications subject to change without notice.

HEATH/DEC Software License Agreement:

This form MUST accompany your H11 computer order.

CUSTOMER SUBLICENSE GRANT

HEATH COMPANY (hereinafter referred to as HEATH) pursuant to a license agreement with Digital Equipment Corporation (hereinafter referred to as DIGITAL) does hereby grant to CUSTOMER a non-transferable and non-exclusive sublicense to use the Binary Software Program(s) PTSP-11 Paper Tape System, FOCAL/PTS Language Processor, BASIC/PTS Language Proc-essor (hereinafter singularly and/or collectively referred to as "Software") on the following terms and conditions.

DESCRIPTION OF SOFTWARE:

Software is furnished to CUSTOMER for use on a single CPU only and may be modified, or copied (with the inclusion of DIGITAL'S copyright notice) only for use on such CPU. The CUSTOMER shall not provide or otherwise make available the Software or any portion thereof in any form to any third party without the prior approval of DIGITAL. Title to the ownership of the Software shall at all times remain with DIGITAL.

DIGITAL AND HEATH JOINTLY AND SEVERALLY DISCLAIM ALL IMPLIED WARRANTIES WITH REGARD TO THE SOFT-WARE LICENSED HEREUNDER, INCLUDING ALL WARRANTIES

OF MERCHANTABILITY AND FITNESS; and any stated express warranties are in lieu of all obligations or liability on the part of either DIGITAL or HEATH for damages, including but not limited to special, indirect or consequential damages arising out of or in connection with the use or performance of the Software licensed hereunder.

This Sublicense Grant, the licenses granted hereunder and the Software may not be assigned by the CUSTOMER without prior written consent from DIGITAL. No right to reprint or copy the Software, in whole or in part, is granted hereby except as otherwise provided herein.

HEATH COMPANY	lin'.	0.0
Ву	William &	Johnson
CUSTOMER		U
Ву		

Customer's Signature

remove order form cut out entire page along dotted line. 2

Heathkit is the name to look for in quality electronic kits



Heath Company, located on the shores of Lake Michigan near Benton Harbor, is the world's largest manufacturer of electronic kits. Heathkit products are marketed primarily through the Heathkit Mail Order Catalog, published 5 times a year, and a nationwide chain of Heathkit Electronic Centers (Units of Schlumberger Products Corporation). In addition to this new line of personal computing products, Heath Company offers nearly 400 other electronic kits of virtually every description. Product categories include Amateur Radio, Automotive Accessories, Stereo Hi-fi Components, Test Instruments, Color TV, Boating and Marine Accessories, Leisure and Home Improvement Products, and our awardwinning self-instruction programs. Every Heathkit product is supplied with a comprehensive step-bystep instruction manual that tells you all you need to know, from unpacking the kit to plugging it in. These manuals are world-famous for their clarity, accuracy and precision. Let Heath show you how easily you can put together superior quality electronic products. Send for your FREE copy of our latest catalog!



Heathkit Computer Systems are also sold and serviced through 47 Heathkit Electronic Centers nationally (Units of Schlumberger Products Corporation) at slightly higher prices. Check the white pages of your telephone directory for the Heathkit Electronic Center nearest you.

Canadian Customers: Contact the Heathkit Electronic Center in most major cities or write for Canadian Prices to:

Heath Company, A Division of Schlumberger Canada, Ltd.

1480 Dundas Street E. Mississauga, Ontario L4X 2R7